Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	10	(("4064462") or ("4131505") or ("4208001") or ("4257730") or ("4277710") or ("4838639") or ("4914290") or ("5295700") or ("5798599") or ("5880580")).PN.	USPAT	OR	OFF	2005/09/08 12:06
L2	0	1 and (multi or multipl\$6 or plural or plural\$4) near (tool or probe or tip or capillary)	USPAT	OR	OFF	2005/09/08 12:51
L3	3	1 and (logic or program or programm\$4)	USPAT	OR	ON	2005/09/08 12:59
L4	3	1 and switch\$4	USPAT	OR	ON	2005/09/08 12:51
L5	2	3 and 4	USPAT	OR	ON	2005/09/08 12:54
L9	4065	(sonic or ultrasonic or sonic\$6 or ultrasonic\$6) and (series or row or multi or multipl\$6 or plural or plural\$4) near (tool or probe or tip or capillary)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 13:48
L10	8304	((228/1.1,110.1,102-105) or (323/282,351) or (156/73.1-73.4, 580,580.1,580.2)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/08 12:58
L11	1663	9 and (logic or program or programm\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 13:49
L12	1612	11 and (control or controll\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 13:00
L13	788	12 and (switch or relay or switch\$4 or relay\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 13:51
L14	353	13 and (jack or port)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 13:51

L15	53	14 and (detect or detect\$4 or sense or sens\$4 or monitor\$4 or measur\$5) near (power or energy)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 13:53
L16	2	15 and chassis	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 13:42
L17	49	15 and signal\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2005/09/08 13:13
L18	32	15 and manual\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 13:13
L19	53	15 and time	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 13:19
L20	30	18 not 16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 13:42
L21	54	10 and (sonic or ultrasonic or sonic\$6 or ultrasonic\$6) and (series or row or multi or multipl\$6 or plural or plural\$4) near (tool or probe or tip or capillary)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 13:48
L22	34	21 and (logic or program or programm\$4 or control or controll\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 13:49

L23	17	22 and (switch or relay or switch\$4 or relay\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 13:51
L24	4	23 and (jack or port)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 13:51
L25	3	23 and (detect or detect\$4 or sense or sens\$4 or monitor\$4 or measur\$5) near (power or energy)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 13:53